

# FEDORA RAWHIDE PACKAGES GATING, FOR REAL!

**PIERRE-YVES CHIBON**

Developer for Fedora @  
Red Hat

✉ [pingou@fedoraproject.org](mailto:pingou@fedoraproject.org)

# [pingou](#) @ [freenode.net](#)

 [pypingou](#)

# AGENDA

- Glossary
- Why gating rawhide?
- The challenges
- State of the art
- Debugging
- Roadmap
- Surprise



# GLOSSARY

- Rawhide
  - The, rolling, development version of Fedora
- Dist-git
  - A collection of git repositories (spec + patches)
  - the lookaside cache (sources)
- Koji
  - Fedora's build system
  - Builds are managed in tags
  - Side-tags
    - Tag based on another one and isolated from other tags



# GLOSSARY (2)

- Bodhi
  - Fedora's update management system
- Fedora-messaging
  - A amqp based message-bus
- Robotsignatory
  - Message-bus-based application signing builds



# WHY GATING RAWHIDE?

- More stable rawhide
- Working composes
  - Quicker turn-around for beta-releases
- Faster update release
- you break it, you fix it



# THE CHALLENGE

- Make it happen
- Fit in in the existing tooling
- Interrupt as little as possible the packager's workflow
- False negatives



# THE PLAN

- Phased roll out
  - Single build update gating
  - Multi build updates gating
- Early user feedback
- Polished UX



# THE STATE OF THINGS


- Single build updates are gated in rawhide
- Multi builds updates are gated in rawhide








# Single build gating




# SINGLE BUILD GATING (SIMPLIFIED)







# Multi-builds gating




# MULTI-BUILDS GATING (SIMPLIFIED)



# SINGLE BUILD GATING (SIMPLIFIED - UPDATED)



# THE GATING DECISION FLOW





# DEBUGGING

- Check the koji tags
  - ``koji buildinfo <nvera>``
  - -updates-candidate / side-tag
    - Single build only / Multi builds only
  - -signing-pending
    - Waiting on robosignatory
  - -testing-pending
    - Waiting on the CI system / Gated



# DEBUGGING (2)

- Check the state of the update in bodhi
  - Pending == Not signed
  - Testing == Tests are running/Gated
  - Stable



# USER FEEDBACK

- # of emails from bodhi
  - 5 to 3 for single-build rawhide updates
- New UI in bodhi 5.0
  - Copy/paste build(s)
    - Builds list should be space delimited
  - Still some performance issues when querying koji for builds
- Disable comments on stable updates
  - Reverted



# ROADMAP

- Optimize testing and reporting test results for groups (multi-builds updates)
- Better test suite
  - rpminspect
  - Reverse-dependency testing
  - Install/Upgrade/Downgrade...
  - Impact on composes
- Distro-level testing



# ROADMAP (2)

- Regular canary testing
  - Single build update
  - Multi-build update
- Mass-rebuilds
  - Signing builds



# SURPRISE!

- On-demand side-tag



# SURPRISE!

- On-demand side-tag
  - For rawhide but not only!
  - `fedpkg chain-build` works for stable releases!



# THANK YOU

## ANY QUESTIONS?



**PIERRE-YVES CHIBON**

Developer for Fedora @  
Red Hat

✉ [pingou@fedoraproject.org](mailto:pingou@fedoraproject.org)

# [pingou @ freenode.net](#)

🐙 [pypingou](#)